



Price list 2016

Page	Art.No.:	Watch timing instruments	CHF
4	89200	Vibrograf Compact 900 (115 V–230V), without accessories	4070.–
6	89500	AM 10 Automatic Microphone	2420.–
6	65001	MP 12 microphone for mechanical watches	550.–
6	88002	QM 06 microphone for mechanical and quartz watches	869.–
6	99500	Thermal printer Martel 7830, serial (115 V–230 V)	286.–
7	88006	EM 06 Support with mirror for power supply of quartz watches	154.–
7	17001	Movement-holder for EM 06	39.–
7	88004	Opto 06 light barrier for pendulum clocks (without tripod)	561.–
7	88003	CM 06 clamp microphone for pocket watches and alarm clocks	171.–
7	62000	MCS Mobile Calibration Unit GPS (115 V–230 V)	1430.–
8	65000	Chrono Touch & MP 12	2035.–
8	65100	Chrono Touch (115 V–230 V), without accessories	1485.–
9	65001	MP 12 microphone for mechanical watches	550.–
9	86003	KM 12 for pocket watches and alarm clocks	127.–
9	99600	Thermal printer Martel 7870, USB (115 V–230 V)	297.–
9	79000	Timocheck (230 V)	165.–
Page	Art.No.:	Impermeability	CHF
10	66000	Leak Checker Prime (115 V–230 V)	2180.–
10	99500	Thermal printer Martel 7830, serial (115 V–230 V)	286.–
10	99600	Thermal printer Martel 7870, USB (115 V–230 V)	297.–
11	17610	WPL 610 (without movement-holder)	1630.–
11	17603	Movement-holder for one watch	182.–
11	17203	Movement-holder for two watches	253.–
11	17201	Gast, Compressor 10bar with foot control (230 V)	1615.–
11	17202	Gast, Compressor 10bar with foot control (115 V)	1725.–
12	11140	Poseidon LT 100 (115 V–230 V)	4690.–
13	99500	Thermal printer Martel 7830, serial (115 V–230 V)	286.–
13	15260	Maintenance unit	328.–
13	15255	Gast, Compressor 10bar (230 V)	1460.–
13	11168	Gast, Compressor 10bar (115 V)	1570.–
13	98400	Planet-Air 6-4 compressor with maintenance unit (230 V)	1650.–
Page	Art.No.:	Cleaning	CHF
14	94000	L2 complete with standard accessories (230 V)	5480.–
15	96230	ACS 900 complete with ultrasound and standard accessories (230 V)	10990.–
15	96115	ACS 900 complete with ultrasound and standard accessories (115 V)	10990.–
	96005	Standard accessories for ACS 900: - 3x 17135 - 3x 17938 - 4x 17136 - 1x 17091 - 1x 17092 - 2x 17128 - 1x 17129 - 1x 17132 - 1x 17122 - 5x 17123 - 3x 17134	
	17101	Ultrasonic oscillator board (115 V)	850.–
	17102	Ultrasonic oscillator board (230 V)	850.–
	17142	Ultrasonic tank	1090.–

16	17190	Basket holder with clip (ALU)	115.-
16	17098	Upper basket holder Ø80mm	149.-
16	15853	Lower basket holder Ø80mm (5 plastic or 4 metal baskets)	190.-
16	15857	Lower basket holder Ø80mm (6 plastic baskets)	230.-
16	17099	Upper basket holder Ø80mm (mounted directly on the axle)	180.-
16	17091	Upper basket holder Ø64mm	48.-
16	17092	Lower basket holder Ø64mm (3 metal baskets)	51.-
16	17122	Axle for 5 movement-holders (17123)	51.-
16	17123	Movement-holder for 3 movements	15.-
16	17137	Movement-holder for 6 movements	285.-
17	17136	Lid for glass jar and ultrasonic tank	16.-
17	17135	Glass jar	38.-
17	17938	Wave-breaker for glass jar (baskets 64–80mm)	38.-
17	17134	Capsule for small parts (plastic antistatic), Ø22mm	10.-
17	17131	Small basket with lid Ø20mm	29.-
18	15881	Basket Ø80mm H8mm (inside H6.7mm) without separations	55.-
18	15901	same as 15881 but with double outer wall	90.-
18	15880	Cover Ø80mm for plastic baskets	32.-
18	15897	Basket Ø80mm H16mm (inside H14.7mm) without separations	125.-
18	15896	Basket Ø80mm H24mm (inside H22.7mm) without separations	135.-
18	15908	Basket Ø80mm H32mm (inside H30.7mm) with 8 separations	170.-
19	15882	Basket Ø80mm H8mm with 4 separations	75.-
19	15893	same as 15882 but with double outer wall	110.-
19	15883	Basket Ø80mm H8mm with 8 separations	95.-
19	15892	same as 15883 but with double outer wall	130.-
19	15884	Basket Ø80mm H8mm with 12 separations	115.-
19	15898	same as 15884 but with double outer wall	150.-
19	15935	Basket Ø80mm H8mm with 16 separations	130.-
19	15940	same as 15935 but with double outer wall	165.-
20	15891	Basket Ø80mm H8mm with 4 separations for 2 plates Ø38mm	90.-
20	15907	same as 15891 but with double outer wall	125.-
20	15895	Basket Ø80mm H8mm with 4 separations for 2 plates Ø25mm	130.-
20	15930	Basket Ø80mm H8mm with 4 separations	95.-
20	15894	Basket Ø80mm H8mm with 8 separations with round compartment in centre Ø39mm	130.-
20	15906	same as 15894 but with double outer wall	165.-
21	15885	Basket Ø80mm H8mm with 6 separations & 2xArt.No: 17131	150.-
21	15886	Basket Ø80mm H8mm with 6 separations & 2xArt.No: 17131 & 2xArt.No: 17134	170.-
21	15887	Basket Ø80mm H8mm with baskets in metal, H14mm Ø64mm without separations	80.-
21	15889	Basket Ø80mm H8mm with baskets in metal, H14mm Ø64mm with 5 separations	95.-
21	15888	Basket Ø80mm H8mm with baskets in metal, H14mm Ø64mm with 4 separations	85.-
21	15910	Basket Ø80mm H8mm with 8 separations and finely woven mesh, mesh size 0.15x0.15mm	240.-
22	15852	Cover Ø80mm for metal baskets	26.-
22	15850	Basket Ø80mm H10mm (inside H6.7mm) without separations	51.-
22	15856	Basket Ø80mm H10mm with 2 separations	68.-
22	15851	Basket Ø80mm H10mm with 4 separations	64.-
22	15849	Basket Ø80mm H10mm with 8 separations	82.-
22	15848	Basket Ø80mm H10mm with 12 separations	102.-
23	15847	Basket Ø80mm H10mm with 9 separations	122.-
23	17132	Cover Ø64mm for metal baskets	15.-
23	17129	Basket Ø64mm H15mm without separations	24.-
23	17128	Basket Ø64mm H15mm with 4 separations	28.-
23	17127	Basket Ø64mm H15mm with 5 separations	38.-

24	18600	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 12.2–14.7 mm, number of holes: 17	69.–
24	18610	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 10.2–12.4 mm, number of holes: 17	69.–
24	18620	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 7.2–10.4 mm, number of holes: 35	69.–
24	18630	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 5.2–7.4 mm, number of holes: 35	69.–
24	18640	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 3.2–5.4 mm, number of holes: 35	69.–
25	17106	Flexible pipe, 20–100cm	36.–
25	17107	Flexible pipe, 50–250cm	56.–
25	17108	Clamping piece	6.–
25	17105	Connection piece (incl. screws)	36.–
25	17109	Active carbon filter with reduction (125–100)	116.–
25	17104	Clamping piece	29.–
25	19130	T 8 Dryer 600W (230V)	305.–
25	19131	T 8 Dryer 600W (115V)	335.–
26	13503	GS-50, 10x50ml Cleaning Concentrate	58.–
26	13504	GS-500, Cleaning Concentrate, 1 bottle 500ml	42.–
26	13511	Mechanik, bottle 1 litre	39.–
26	13512	Universal, bottle 1 litre	58.–
26	13555	WF4, cleaning solution 5 litre	66.–
26	13565	S-3, rinsing solution 5 litre	72.–
27	43000	VP3 Exhausting-System (230V)	782.–
27	43011	VP3 Exhausting-System (115V)	908.–
27	43100	VP3 Exhausting-System for two working places (230V)	1040.–
27	43111	VP3 Exhausting-System for two working places (115V)	1155.–
	43005	Replacement filter for VP3	16.50
Page	Art.No.:	Magnetism	CHF
28	11260	Multimag (230V)	3970.–
28	11250	Multimag (115V)	3970.–
29	11220	Magnomatic (230V)	980.–
29	11210	Magnomatic (115V)	990.–
29	19600	Antimag AM 2 (230V)	209.–
29	19700	Antimag AM 2 (115V)	226.–
29	11215	Magnotest II	435.–
29	11216	Line adapter for Magnotest II (230V)	24.–
Page	Art.No.:	Tools	CHF
30	38000	Timoknack	545.–
30	38002	Spare knife	28.–
30	38001	Fixation for table Timoknack	19.–
30	19070	Timoklick	319.–
30	19075	Working plate for 18 delrin press dies and utensils, without press dies	86.–
30	39600	Set of 5 delrin press dies for big watches, without setting plate	94.–
30	19071	Set of 8 delrin press dies	81.–
30	19072	Setting plate for 19071	27.–
30	19073	Set of 10 delrin press dies	112.–
30	19074	Setting plate for 19073	28.–

31	37000	Timopress	on demand
31	37100	Set of 6 delrin press dies, flat, small	on demand
31	37200	Set of 6 delrin press dies, concave, small	on demand
31	37300	Set of 5 delrin press dies, flat, big	on demand
31	37400	Set of 5 delrin press dies, concave, big	on demand
Page	Art.No.:	Polishing machines	CHF
32	35000	Polimaxx Premium (230 V)	4390.-
32	35011	Polimaxx Premium (115 V)	4565.-
33	20100	Polimaxx I (230 V)	2195.-
33	20111	Polimaxx I (115 V)	2310.-
33	33000	Polimaxx II (230 V)	3295.-
33	33011	Polimaxx II (115 V)	3480.-
34	19000	Polistar (230 V)	1090.-
34	12000	PA 012 (230 V)	1675.-
35	14000	PA 210 (230 V)	2290.-
35	15000	PA 310 (230 V)	3590.-
36	16000	PT 1-1 (230 V)	3810.-
36	21100	PT 3 (230 V)	6680.-
37	26000	ASG 2 (230 V)	1010.-
37	27000	Suction dome for ASG 2	440.-
37	27001	PVC spiral tubing (per meter)	22.-
37	27002	Tubing clamps (per piece)	7.-
37	25000	PM 200.10	1900.-
	25003	Polishing spindle conical, left, thread M10/PM 200.x, PT3	47.-
	25002	Polishing spindle conical, right, thread M10/PM 200.x, PT3	47.-
	11002	Polishing spindle conical, left, cone/PA 200, PA 210	42.-
	11001	Polishing spindle conical, right, cone/PA 100, PA 200, PA 012, PA 210	42.-
	11006	Polishing spindle cylindrical Ø8mm, right, cone/PA 100, PA 200, PA 012, PA 210	60.-
	11007	Polishing spindle cylindrical Ø8mm, left, cone/PA 200, PA 210	60.-
	24003	Polishing spindle conical, left, flange Ø14mm/PM 100.x, PA 310, PT 1-2, Polimaxx II	61.-
	24002	Polishing spindle conical, right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	61.-
	24005	Polishing spindle conical (short), right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	53.-
	24004	Polishing spindle cylindrical Ø8mm, right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	74.-
	10001	Polishing spindle conical, right, flange Ø8mm/Polistar, PA Mini	39.-
	34004	Collet (incl. pin), right, flange Ø14mm / PM 100.x, PA 310, PT 1-2, Polimaxx I, II & Premium	270.-
	34005	Collet (incl. pin), left, flange Ø14mm / PM 100.x, PA 310, PT 1-2, Polimaxx II & Premium	270.-
	34006	Polishing spindle conical, right for 34004	67.-
	34007	Polishing spindle conical, left for 34005	67.-
	34008	Polishing spindle cylindrical Ø25mm, right for 34004	99.-
	34009	Polishing spindle cylindrical Ø25mm, left for 34005	99.-

Page	Art.No.:	Flexible shaft machines	CHF
38	20001000	JSB 2000 0–12000rpm	561.–
38	20001000	JSB 2000 0–18000rpm	561.–
38	22001000	JSB 2000-DS 0–12000rpm	671.–
38	22001000	JSB 2000-DS 0–18000rpm	671.–
	20003000	Electronic foot pedal without cable for JSB	196.–
38	814015	KS 12000 0–12000rpm	534.–
38	814016	KS 18000 0–18000rpm	534.–
	854500	Electronic foot pedal without cable for KS	196.–
39	20005001	Flexible shaft 100cm	168.–
39	20007000	Table tripods for clamping	168.–
39	20007500	Table tripods for screwing	168.–
40	830047	Industrial handpiece with precision-three jaw chuck	369.–
40	830052	Industrial handpiece with clamping collet	197.–
40	830054	Quick change handpiece	219.–
41	830055	Ball-bearing handpiece with clamping collet	201.–
41	830056	Ball-bearing handpiece with three jaw chuck	218.–
41	830057	Setting hammer	168.–
42	830050	Ball-bearing handpiece with clamping collet	157.–
42	830058	Ball-bearing handpiece with three jaw chuck	185.–
	20000201	Three jaw chuck for ball bearing handpiece	48.–
	8800525023	Clamping collet for industrial handpiece Ø2.35mm	19.–
	8800525030	Clamping collet for industrial handpiece Ø3.0mm	19.–
	8800505023	Clamping collet Ø2.35mm	17.–
	8800505030	Clamping collet Ø3.0mm	17.–
Page	Art.No.:	Ring stick & ring tube sizer	CHF
43	80002000	High-precision ring stick of hard-anodized aluminum	39.–
43	80004000	High-precision ring tube sizer of hard-anodized aluminum	43.–
Page	Art.No.:	Galvanization and pickling	CHF
44	40003000	KGA 2000 with standard accessories (230V) - 6x 40001020 - 1x 40001010 - 1x 40005125 - 1x 40005050 - 1x 40008020	1705.–
45	40008080	Shelves for chains with 12 hooks	72.–
45	40008070	Shelves for ring or chains with 12 hooks	72.–
45	40008010	Titanium heater 230V, 50Hz, 200W	215.–
45	40008100	High-grade steel anode 150x50x0.5mm (two pieces needed)	16.–
	40001010	Cover for device	106.–
	40001020	Tank for KGA 2000 1.5 litre	36.–
	40008200	Cover for tank 1.5 litre	21.–
	40005125	Temperature sensor	83.–
	40005050	Sensor holder	24.–
	40008020	Holder for titanium heater	33.–
45	60001000	DEOXOR pickle pot (230V)	418.–