

**Price list 2019**

Art.No.:	Watch timing instruments	CHF
89200	Vibrograf Compact 900 (115V–230V), without accessories	4070.–
89500	AM 10 Automatic Microphone	2420.–
65001	MP 12 microphone for mechanical watches	605.–
88002	QM 06 microphone for mechanical and quartz watches	980.–
99500	Thermal printer Martel 7830, serial (115V–230V)	319.–
88006	EM 06 Support with mirror for power supply of quartz watches	182.–
17001	Movement-holder for EM 06	42.–
88004	Opto 06 light barrier for pendulum clocks (without tripod)	561.–
88003	CM 06 clamp microphone for pocket watches and alarm clocks	171.–
62000	MCS Mobile Calibration Unit GPS (115V–230V)	1430.–
65000	Chrono Touch & MP 12	
65100	Chrono Touch (115V–230V), without accessories	1595.–
65001	MP 12 microphone for mechanical watches	605.–
86003	KM 12 for pocket watches and alarm clocks	142.–
99600	Thermal printer Martel 7870, USB (115V–230V)	354.–
79000	Timocheck (230V)	196.–
70000	Timometer (230V)	1870.–
70011	Timometer (115V)	1870.–
Art.No.:	Impermeability	CHF
66000	Leak Checker Prime (115V–230V)	2340.–
99500	Thermal printer Martel 7830, serial (115V–230V)	319.–
99600	Thermal printer Martel 7870, USB (115V–230V)	354.–
17610	WPL 610 (without movement-holder)	1750.–
17603	Movement-holder for one watch	205.–
17203	Movement-holder for two watches	280.–
17201	Gast, Compressor 10bar with foot control (230V)	1615.–
17202	Gast, Compressor 10bar with foot control (115V)	1725.–
11140	Poseidon LT 100 (115V–230V)	4950.–
99500	Thermal printer Martel 7830, serial (115V–230V)	319.–
15260	Maintenance unit	395.–
15255	Gast, Compressor 10bar (230V)	1460.–
11168	Gast, Compressor 10bar (115V)	1570.–
98400	Planet-Air 6-4 compressor with maintenance unit (230V)	1800.–
Art.No.:	Cleaning	CHF
94000	L2 complete with standard accessories (230V)	5976.–
	ACS 900 with ultrasound, glass jars, wave breaker and lids (230V)	11014.–
	ACS 900 with ultrasound, glass jars, wave breaker and lids (115V)	11014.–
96230	ACS 900 complete with ultrasound and standard accessories (230V)	11450.–
96115	ACS 900 complete with ultrasound and standard accessories (115V)	11450.–
96005	Standard accessories for ACS 900: - 3x 17135 - 3x 17938 - 4x 17136 - 1x 17091 - 1x 17092 - 2x 17128 - 1x 17129 - 1x 17132 - 1x 17122 - 5x 17123 - 3x 17134	

17101	Ultrasonic oscillator board (115 V)	850.-
17102	Ultrasonic oscillator board (230 V)	850.-
17142	Ultrasonic tank	1090.-
17190	Basket holder with clip (ALU)	115.-
17098	Upper basket holder Ø80 mm	149.-
15853	Lower basket holder Ø80 mm (5 plastic or 4 metal baskets)	190.-
15857	Lower basket holder Ø80 mm (6 plastic baskets)	230.-
17099	Upper basket holder Ø80 mm (mounted directly on the axle)	180.-
17091	Upper basket holder Ø64 mm	48.-
17092	Lower basket holder Ø64 mm (3 metal baskets)	51.-
17122	Axle for 5 movement-holders (17123)	51.-
17123	Movement-holder for 3 movements	15.-
17137	Movement-holder for 6 movements	285.-
17136	Lid for glass jar and ultrasonic tank	16.-
17135	Glass jar	38.-
17938	Wave-breaker for glass jar (baskets 64-80 mm)	38.-
17134	Capsule for small parts (plastic antistatic), Ø22 mm	10.-
17131	Small basket with lid Ø20 mm	44.-
15880	Cover Ø80 mm for plastic baskets	32.-
15881	Basket Ø80 mm H8 mm (inside H6.7 mm) without separations	55.-
15901	same as 15881 but with double outer wall	90.-
15897	Basket Ø80 mm H16 mm (inside H14.7 mm) without separations	125.-
15896	Basket Ø80 mm H24 mm (inside H22.7 mm) without separations	135.-
15908	Basket Ø80 mm H32 mm (inside H30.7 mm) with 8 separations	170.-
15882	Basket Ø80 mm H8 mm with 4 separations	75.-
15893	same as 15882 but with double outer wall	110.-
15883	Basket Ø80 mm H8 mm with 8 separations	95.-
15892	same as 15883 but with double outer wall	130.-
15884	Basket Ø80 mm H8 mm with 12 separations	115.-
15898	same as 15884 but with double outer wall	150.-
15935	Basket Ø80 mm H8 mm with 16 separations	130.-
15940	same as 15935 but with double outer wall	165.-
15891	Basket Ø80 mm H8 mm with 4 separations for 2 plates Ø38 mm	90.-
15907	same as 15891 but with double outer wall	125.-
15895	Basket Ø80 mm H8 mm with 4 separations for 2 plates Ø25 mm	130.-
15930	Basket Ø80 mm H8 mm with 4 separations	95.-
15894	Basket Ø80 mm H8 mm with 8 separations with round compartment in centre Ø39 mm	130.-
15906	same as 15894 but with double outer wall	165.-
15885	Basket Ø80 mm H8 mm with 6 separations & 2xArt.No: 17131	213.-
15886	Basket Ø80 mm H8 mm with 6 separations & 2xArt.No: 17131 & 2xArt.No: 17134	242.-
15887	Basket Ø80 mm H8 mm with baskets in metal, H14 mm Ø64 mm without separations	116.-
15889	Basket Ø80 mm H8 mm with baskets in metal, H14 mm Ø64 mm with 5 separations	140.-
15888	Basket Ø80 mm H8 mm with baskets in metal, H14 mm Ø64 mm with 4 separations	124.-
15910	Basket Ø80 mm H8 mm with 8 separations and finely woven mesh, mesh size 0.15x0.15 mm	240.-
15852	Cover Ø80 mm for metal baskets	31.-
15850	Basket Ø80 mm H10 mm (inside H6.7 mm) without separations	65.-
15856	Basket Ø80 mm H10 mm with 2 separations	87.-
15851	Basket Ø80 mm H10 mm with 4 separations	83.-
15849	Basket Ø80 mm H10 mm with 8 separations	105.-
15848	Basket Ø80 mm H10 mm with 12 separations	129.-
15847	Basket Ø80 mm H10 mm with 9 separations	152.-
17132	Cover Ø64 mm for metal baskets	18.-

17129	Basket Ø64 mm H 15 mm without separations	43.-
17128	Basket Ø64 mm H 15 mm with 4 separations	60.-
17127	Basket Ø64 mm H 15 mm with 5 separations	70.-
18600	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 12.2–14.7 mm, number of holes: 17	69.-
18610	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 10.2–12.4 mm, number of holes: 17	69.-
18620	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 7.2–10.4 mm, number of holes: 35	69.-
18630	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 5.2–7.4 mm, number of holes: 35	69.-
18640	Plastic balance wheel plates Ø80mm, Ø Balance wheels: 3.2–5.4 mm, number of holes: 35	69.-
17106	Flexible pipe, 20–100 cm	39.-
17107	Flexible pipe, 50–250 cm	59.-
17108	Clamping piece	6.-
17105	Connection piece (incl. screws)	42.-
17109	Active carbon filter with reduction (125-100)	119.-
17104	Clamping piece	38.-
19130	T 8 Dryer 600W (230 V)	360.-
19131	T 8 Dryer 600W (115 V)	400.-
13503	GS-50, 10x50 ml Cleaning Concentrate	62.-
13504	GS-500, Cleaning Concentrate, 1 bottle 500ml	46.-
13555	WF4, cleaning solution 5 litre	74.-
13565	S-3, rinsing solution 5 litre	74.-
43000	VP3 Exhausting-System (230 V)	910.-
43011	VP3 Exhausting-System (115 V)	1065.-
43100	VP3 Exhausting-System for two working places (230 V)	1220.-
43111	VP3 Exhausting-System for two working places (115 V)	1355.-
43005	Replacement filter for VP3	19.-
Art.No.:	Magnetism	CHF
11260	Multimag (230 V)	2990.-
11250	Multimag (115 V)	2990.-
11400	Magnomaster (115 V–230 V)	990.-
11220	Magnomatic (230 V)	980.-
11210	Magnomatic (115 V)	990.-
19600	Antimag AM 2 (230 V)	250.-
19700	Antimag AM 2 (115 V)	275.-
11215	Magnotest II	510.-
11216	Line adapter for Magnotest II (230 V)	26.-
Art.No.:	Tools	CHF
38000	Timoknack	643.-
38002	Spare knife	32.-
38001	Fixation for table Timoknack	23.-
39000	Timoklick	384.-
39500	TK, Working plate for 18 delrin press dies, without press dies	99.-
39100	TK, Set of 8 delrin press dies	92.-
39300	TK, Setting plate for 39100	31.-
39200	TK, Set of 10 delrin press dies	128.-
39400	TK, Setting plate for 39200	32.-
39600	TK, Set of 5 delrin press dies, 1 flat (ø60mm), 4 concave (ø46, 50, 55, 60mm)	108.-
39700	TK, Set of 4 delrin press dies, concave deep (ø46, 50, 55, 60mm)	96.-

37000	Timopress	667.-
37100	TP, Set of 6 delrin press dies, flat (ø19,22,26,30,35,40mm)	74.-
37200	TP, Set of 6 delrin press dies, concave (ø19,22,26,30,35,40mm)	92.-
37300	TP, Set of 5 delrin press dies, flat (ø45,50,55,60,65mm)	104.-
37400	TP, Set of 5 delrin press dies, concave (ø45,50,55,60,65mm)	117.-
Art.No.:	Polishing machines	CHF
40000	Machine à lapider LM1 (230 V)	5855.-
40100	Table de polissage pour LM1	1806.-
40200	Piece à main pour LM1	2596.-
35000	Polimaxx Premium (230V)	5175.-
35011	Polimaxx Premium (115V)	5380.-
20100	Polimaxx I (230V)	2510.-
20111	Polimaxx I (115V)	2645.-
33000	Polimaxx II (230V)	3770.-
33011	Polimaxx II (115V)	3980.-
19000	Polistar (230V)	1245.-
12000	PA 012 (230V)	1912.-
14000	PA 210 (230V)	2620.-
16000	PT 1-1 (230V)	4360.-
21100	PT 3 (230V)	8255.-
26000	ASG 2 (230V)	1157.-
27000	Suction dome for ASG 2	508.-
27001	PVC spiral tubing (per meter)	24.-
27002	Tubing clamps (per piece)	7.-
25000	PM 200.9	2172.-
25003	Polishing spindle conical, left, thread M10/PM 200.x, PT3	52.-
25002	Polishing spindle conical, right, thread M10/PM 200.x, PT3	52.-
11002	Polishing spindle conical, left, cone/PA 200, PA 210	48.-
11001	Polishing spindle conical, right, cone/PA 100, PA 200, PA 012, PA 210	48.-
11006	Polishing spindle cylindrical Ø8mm, right, cone/PA 100, PA 200, PA 012, PA 210	67.-
11007	Polishing spindle cylindrical Ø8mm, left, cone/PA 200, PA 210	67.-
24003	Polishing spindle conical, left, flange Ø14mm/PM 100.x, PA 310, PT 1-2, Polimaxx II	68.-
24002	Polishing spindle conical, right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	68.-
24005	Polishing spindle conical (short), right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	59.-
24004	Polishing spindle cylindrical Ø8mm, right, flange Ø14mm/PM 100.x, PA 310, PT 1-1, PT 1-2, Polimaxx I & II	83.-
10001	Polishing spindle conical, right, flange Ø8mm/Polistar, PA Mini	44.-

Art.No.:	Flexible shaft machines	CHF
20001000	JSB 2000 0–12 000rpm	655.–
20001000	JSB 2000 0–18 000rpm	655.–
22001000	JSB 2000-DS 0–12 000rpm	790.–
22001000	JSB 2000-DS 0–18 000rpm	790.–
20003000	Electronic foot pedal without cable for JSB	229.–
814015	KS 12000 0–12 000rpm	626.–
814016	KS 18000 0–18 000rpm	626.–
854500	Electronic foot pedal without cable for KS	229.–
20005001	Flexible shaft 100cm	196.–
20007000	Table tripods for clamping	196.–
20007500	Table tripods for screwing	196.–
830047	Industrial handpiece with precision-three jaw chuck	467.–
830052	Industrial handpiece with clamping collet	227.–
830055	Ball-bearing handpiece with clamping collet	230.–
830056	Ball-bearing handpiece with three jaw chuck	249.–
830057	Setting hammer	196.–
830050	Ball-bearing handpiece with clamping collet	179.–
830058	Ball-bearing handpiece with three jaw chuck	212.–
20000201	Three jaw chuck for ball bearing handpiece	55.–
8800525023	Clamping collet for industrial handpiece Ø2.35 mm	22.–
8800525030	Clamping collet for industrial handpiece Ø3.0mm	22.–
8800505023	Clamping collet Ø2.35mm	20.–
8800505030	Clamping collet Ø3.0mm	20.–
Art.No.:	Ring stick & ring tube sizer	CHF
80002000	High-precision ring stick of hard-anodized aluminum	46.–
80004000	High-precision ring tube sizer of hard-anodized aluminum	52.–
Art.No.:	Galvanization and pickling	CHF
40003000	KGA 2000 with standard accessories (230 V) - 6x 40001020 - 1x 40001010 - 1x 40005125 - 1x 40005050 - 1x 40008020	2000.–
40008080	Shelves for chains with 12 hooks	81.–
40008070	Shelves for ring or chains with 12 hooks	81.–
40008010	Titanium heater 230V, 50Hz, 200W	235.–
40008100	High-grade steel anode 150x50x0.5 mm (two pieces needed)	18.–
40001010	Cover for device	115.–
40001020	Tank for KGA 2000 1.5 litre	39.–
40008200	Cover for tank 1.5 litre	24.–
40005125	Temperature sensor	96.–
40005050	Sensor holder	27.–
40008020	Holder for titanium heater	37.–
60001000	DEOXOR pickle pot (230 V)	487.–